



DEEP ROOF LIGHTING INC.
P.O. BOX 2899, Huntington Station, NY 11746
Tel: 516-676-9100 (3 lines)

Web Site: www.deeprooflighting.com
 Email: sales@deeprooflighting.com, cs@deeprooflighting.com

LED Track Lights

ETL

Wide Series

“Light Hole”



- 120 VAC
- 75 Lumen/Watt CRI 80
- CRI 80 or 90
- Die Cast Aluminum, LED COB chips
- 3/5 colors version, 3.5+5+6K and 2.7+3.5+4+5+6 K switchable



ITEM CODES

*** 5 Colors ***



LTW-690XL-D23456(W3/B3) 40W, 2.7+3.5+4+5+6k K colors
 LTW-690L-D23456(W3/B3) 30W, 2.7+3.5+4+5+6k K colors

LTW-690XL-D356(W/B) 40W, 3500+5000+6000K Switch
 LTW-690XL-D356C90(W/B) 40W, 3500+5000+6000K Switch
 LTW-690L-D235C90(W/B) 30W, 2700/3500/5000K Switch

LTW-690XL-D27(W/B) 40W, 3500 Lumen, 2700K, White/Black
 LTW-690XL-D35(W/B) 40W, 3500 Lumen, 3500K, White/Black
 LTW-690XL-D50(W/B) 40W, 3500 Lumen, 5000K, White/Black
 LTW-690XL-D65(W/B) 40W, 3500 Lumen, 6500K, White/Black

LTW-690XL-D27C90(W/B) 40W, 2700K, CRI 90, White/Black
 LTW-690XL-D35C90(W/B) 40W, 3500K, CRI 90, White/Black
 LTW-690XL-D50C90(W/B) 40W, 5000K, CRI 90, White/Black
 LTW-690XL-D65C90(W/B) 40W, 6500K, CRI 90, White/Black

LTW-690L-D27(W/B) 30W, 2600 Lumen, 2700K, White/Black
 LTW-690L-D35(W/B) 30W, 2600 Lumen, 3500K, White/Black
 LTW-690L-D50(W/B) 30W, 2600 Lumen, 5000K, White/Black
 LTW-690L-D65(W/B) 30W, 2600 Lumen, 6500K, White/Black





“Moving Average”



Vertical LED Track Lights



LTV-609M ---- (3 Colors switchable 2700+3500+5000K)

 LED	Built-in 9 W	 LUM	790 1000	 CRI	85	 Dimmable	YES
12 W							
		L: 2.25" W: 3.75" H: 4.5"				a: 2500 Lux b: 2000 Lux c: 1150 Lux d: 30 D A: 50 CM B: 100 CM	

LTV-609XL ---- (3 Colors switchable 2700+3500+5000K)

 LED	Built-in 18 W	 LUM	1500	 CRI	85	 Dimmable	YES
		L: 3.5" W: 4.75" H: 4.75"				a: 6800 Lux b: 6100 Lux c: 4800 Lux d: 40 D A: 60 CM B: 100 CM	

ITEM CODES

***** 3 Colors *****

LTV-609XL-D235(W/B) :

18 Watts, 1400 Lumen, Dimmable, 2700+3500+5000 K, 40°, Wh/Bk

LTV-609M-D235(W/B) :

12 Watts, 1000 Lumen, Dimmable, 2700+3500+5000 K, 40°, Wh/Bk

LTV-609M-D30(W3/B3/ST3)

9 Watts, 800 Lumen, Dimmable, 3000 K, 30°, White/Black/Brush Nickle

LTV-609M-D50(W3/B3/ST3)

9 Watts, 800 Lumen, Dimmable, 5000 K, 30°, White/Black/Brush Nickle

LTV-609M-D65(W3/B3/ST3)

9 Watts, 800 Lumen, Dimmable, 6500 K, 30°, White/Black/Brush Nickle

LTV-609XL-D30(W3/B3/ST3)


18 Watts, 1400 Lumen, Dimmable, 3000 K, 40°, White/Black/Brush Nickle

LTV-609XL-D50(W3/B3/ST3)

18 Watts, 1400 Lumen, Dimmable, 5000 K, 40°, White/Black/Brush Nickle

LTV-609XL-D65(W3/B3/ST3)

18 Watts, 1400 Lumen, Dimmable, 6500 K, 40°, White/Black/Brush Nickle



DEEP ROOF LIGHTING

130 W 10 Street, Huntington station, NY 11746

Mail - PO Box 2899, Huntington station, NY 11746

Tel: 516-676-9100 3 lines

Web: www.deeprooflighting.com

Email: cs@deeprooflighting.com

Email: jay@deeprooflighting.com

LTV-609XL-D5CC-SM

“Moving Average”

18-20W, 2000 Lumen, 2700+3000+3500+4000+5000K switchable, SMD condense
Isolated driver





36° Angle and 60° Angle lens available

LTV-609XL-D5CC-SM-WA
white, 36°

LTV-609XL-D5CC-SM-WB
white, 60°

LTV-609XL-D5CC-SM-BA
black, 36°




LTV-609XL-D5CC-SM-BB
black, 60°



Euroface LED Track Lights



Die Cast Materials, COB chips






ITEM CODES

LTE-699-D30W :	10 Watts, 800 Lumen, Dimmable, 3000 K, 36°, White
LTE-699-D30B :	10 Watts, 800 Lumen, Dimmable, 3000 K, 36°, Black
LTE-699-D30ST :	10 Watts, 800 Lumen, Dimmable, 3000 K, 36°, Brush Steel
LTE-699-D50W :	10 Watts, 800 Lumen, Dimmable, 5000 K, 36°, White
LTE-699-D50B :	10 Watts, 800 Lumen, Dimmable, 5000 K, 36°, Black
LTE-699-D50ST :	10 Watts, 800 Lumen, Dimmable, 5000 K, 36°, Brush Steel
LTE-699-D65W :	10 Watts, 800 Lumen, Dimmable, 6500 K, 36°, White
LTE-699-D65B :	10 Watts, 800 Lumen, Dimmable, 6500 K, 36°, Black
LTE-699-D65ST :	10 Watts, 800 Lumen, Dimmable, 6500 K, 36°, Brush Steel






Mini Flatback LED Track Lights
Goose Neck



ITEM CODES

LTM-311G24-D30W :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 3000 K, 25°, White
LTM-311G24-D30B :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 3000 K, 25°, Black
LTM-311G24-D30ST :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 3000 K, 25°, Steel
LTM-311G36-D30W :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 3000 K, 25°, White
LTM-311G36-D30B :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 3000 K, 25°, Black
LTM-311G36-D30ST :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 3000 K, 25°, Steel
LTM-311G24-D50W :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 5000 K, 25°, White
LTM-311G24-D50B :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 5000 K, 25°, Black
LTM-311G24-D50ST :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 5000 K, 25°, Steel
LTM-311G36-D50W :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 5000 K, 25°, White
LTM-311G36-D50B :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 5000 K, 25°, Black
LTM-311G36-D50ST :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 5000 K, 25°, Steel
LTM-311G24-D65W :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 6500 K, 25°, White
LTM-311G24-D65B :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 6500 K, 25°, Black
LTM-311G24-D65ST :	7 Watts, 600 Lumen, Goose Neck 24", Dimmable, 6500 K, 25°, Steel
LTM-311G36-D65W :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 6500 K, 25°, White
LTM-311G36-D65B :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 6500 K, 25°, Black
LTM-311G36-D65ST :	7 Watts, 600 Lumen, Goose Neck 36", Dimmable, 6500 K, 25°, Steel





Mini Flatback LED



ITEM CODES

LTM-311-D30W :	7 Watts, 600 Lumen, Dimmable, 3000 K, 45°, White
LTM-311-D30B :	7 Watts, 600 Lumen, Dimmable, 3000 K, 45°, Black
LTM-311-D30ST :	7 Watts, 600 Lumen, Dimmable, 3000 K, 45°, Brush Steel
LTM-311-D50W :	7 Watts, 600 Lumen, Dimmable, 5000 K, 45°, White
LTM-311-D50B :	7 Watts, 600 Lumen, Dimmable, 5000 K, 45°, Black
LTM-311-D50ST :	7 Watts, 600 Lumen, Dimmable, 5000 K, 45°, Brush Steel
LTM-311-D65W :	7 Watts, 600 Lumen, Dimmable, 6500 K, 45°, White
LTM-311-D65B :	7 Watts, 600 Lumen, Dimmable, 6500 K, 45°, Black
LTM-311-D65ST :	7 Watts, 600 Lumen, Dimmable, 6500 K, 45°, Brush Steel

Round Back





ITEM CODES




LTR-138-D30W :	10 Watts, 800 Lumen, Dimmable, 3000 K, 70°, White
LTR-138-D30B :	10 Watts, 800 Lumen, Dimmable, 3000 K, 70°, Black
LTR-138-D30ST :	10 Watts, 800 Lumen, Dimmable, 3000 K, 70°, Brush Steel
LTR-138-D50W :	10 Watts, 800 Lumen, Dimmable, 5000 K, 70°, White
LTR-138-D50B :	10 Watts, 800 Lumen, Dimmable, 5000 K, 70°, Black
LTR-138-D50ST :	10 Watts, 800 Lumen, Dimmable, 5000 K, 70°, Brush Steel
LTR-138-D65W :	10 Watts, 800 Lumen, Dimmable, 6500 K, 70°, White
LTR-138-D65B :	10 Watts, 800 Lumen, Dimmable, 6500 K, 70°, Black
LTR-138-D65ST :	10 Watts, 800 Lumen, Dimmable, 6500 K, 70°, Brush Steel



LTG-120 ----



LTG-121 ----



ITEM CODES

LTG-120-D30W :	18 Watts, 1500 Lumen, Dimmable, 3000 K, 35°, White
LTG-120-D30B :	18 Watts, 1500 Lumen, Dimmable, 3000 K, 35°, Black
LTG-120-D30ST :	18 Watts, 1500 Lumen, Dimmable, 3000 K, 35°, Brush Steel
LTG-120-D50W :	18 Watts, 1500 Lumen, Dimmable, 5000 K, 35°, White
LTG-120-D50B :	18 Watts, 1500 Lumen, Dimmable, 5000 K, 35°, Black
LTG-120-D50ST :	18 Watts, 1500 Lumen, Dimmable, 5000 K, 35°, Brush Steel
LTG-120-D65W :	18 Watts, 1500 Lumen, Dimmable, 6500 K, 35°, White
LTG-120-D65B :	18 Watts, 1500 Lumen, Dimmable, 6500 K, 35°, Black
LTG-120-D65ST :	18 Watts, 1500 Lumen, Dimmable, 6500 K, 35°, Brush Steel
LTG-121-D30W :	12 Watts, 1000 Lumen, Dimmable, 3000 K, 30°, White
LTG-121-D30B :	12 Watts, 1000 Lumen, Dimmable, 3000 K, 30°, Black
LTG-121-D30ST :	12 Watts, 1000 Lumen, Dimmable, 3000 K, 30°, Brush Steel
LTG-121-D50W :	12 Watts, 1000 Lumen, Dimmable, 5000 K, 30°, White
LTG-121-D50B :	12 Watts, 1000 Lumen, Dimmable, 5000 K, 30°, Black
LTG-121-D50ST :	12 Watts, 1000 Lumen, Dimmable, 5000 K, 30°, Brush Steel
LTG-121-D65W :	12 Watts, 1000 Lumen, Dimmable, 6500 K, 30°, White
LTG-121-D65B :	12 Watts, 1000 Lumen, Dimmable, 6500 K, 30°, Black
LTG-121-D65ST :	12 Watts, 1000 Lumen, Dimmable, 6500 K, 30°, Brush Steel